ELSEVIER

Journal of Electron Spectroscopy and Related Phenomena 85 (1997) 269

JOURNAL OF ELECTRON SPECTROSCOPY and Related Phenomena

Author index

Appling, J.R., 93

Baalmann, A., 197
Boese, J., 9
Botelho do Rego, A.M., 81

Casida, M.E., 39
Chong, D.P., 39
Contini, G., 53
Cubiotti, G., 1

Desimoni, E., 179
Dieckhoff, S., 197
Dyke, J.M., 23

Ebata, K., 159
El-Gomati, M.M., 205

Fadley, C.S., 145
Fedorova, I.S., 221
Fox-Rabinovich, G.S., 65
Fujino, M., 159
Fujiwara, K., 123
Furlani, A., 73
Furukawa, K., 159

Haggerston, D., 23
Harbol, M.R., 93
He, Z.Q., 17
Hu, C.-H., 39
Hucek, S., 257, 263

Ilver, L., 17
Infante, G., 53, 73
Ishizuka, T., 193

Jablonski, A., 257
Jackson, A.R., 205
Jacobsen, C., 9

Kaduwela, A.P., 145
Kanski, J., 17
Kawai, S., 159
Kim, J.W., 35
Kim, S., 35
Kirz, J., 9
Kishi, K., 123
Kobayashi, T., 47
Kovalev, A.I., 65
Kowalski, B.J., 17
Kubota, M., 47
Kucherenko, Yu.N., 1

Laffon, C., 53
Laine, A.D., 1
Langerame, F., 179
Leadley, S.R., 107
Lee, H.G., 35
Len, P.M., 145
Lopes da Silva, J., 81

Maeyama, S., 159
Matsumoto, N., 159
Matthew, J.A.D., 175, 205
Mähl, S., 197
Mezzasalma, A.M., 1
Mondio, G., 1
Morikawa, H., 193
Morris, A., 23
Motoyama, M., 159
Muramatsu, Y., 159

Naganuma, K., 193
Nakane, K., 193
Nefedov, V.I., 221
Neumann, M., 197
Nilsson, P.-O., 17

Oke, S., 249
Orlowski, B.A., 17
Osanna, A., 9

Parent, Ph., 53
Parker, S., 175
Patil, V., 249
Pavluch, J., 135
Polzonetti, G., 53, 73

Russo, M.V., 53, 73

Salvi, A.M., 179
Sastry, M., 167, 249
Schlett, V., 197
Slesiak, J., 135
Snijders, J.C., 23
Sugiyama, M., 159
Szuszkiewicz, W., 17

Thevuthasan, S., 145
Tilinin, I.S., 135, 263
Tourillon, G., 53
Tsuge, A., 193

Uwamino, Y., 193

Van Hove, M.A., 145
van Lenthe, E., 23
Vilar, M.R., 81

Wainstein, D.L., 65
Watts, J.F., 107, 179
Wright, A.E., 23

Zemek, J., 257, 263
Zhang, F., 145

ELSEVIER

Journal of Electron Spectroscopy and Related Phenomena 85 (1997) 271–275

JOURNAL OF ELECTRON SPECTROSCOPY and Related Phenomena

Subject index

Acid-base interactions
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
AES
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
Aluminium
The interface between aluminium and a rod-like organometallic Pd-containing polymer film investigated by XPS 73
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Amino acids
Carbon edge XANES spectroscopy of amino acids and peptides 9
Angular distribution of photoelectrons
Angular distribution of photoelectrons emitted from solids 263
Appearance potential spectroscopy
Elastic contribution to the high-energy Auger electron appearance potential spectrum 135
Atomic charge
Correlation of C 1s binding energies in organic molecules with atomic charge calculated using a modifed Sanderson formalism 167
Atomic imaging
Optimal atomic imaging by photoelectron holography 145
Attenuation lengths of photoelectrons in solids
Account of photoelectron elastic determination of overlayer thickness, in-depth profiling, escape depth, attenuation coefficients and intensities in surface systems 221
Auger electron spectrometry
Determination of rare-earth oxide contents in rare-earth oxide mixtures by Auger electron spectrometry 193
Auger electron spectroscopy
Elastic contribution to the high-energy Auger electron appearance potential spectrum 135
Auger parameters
Correlations between the Auger parameters of oxygen and metal atoms in oxygen-containing compounds 175

Binding energy
Correlation of C 1s binding energies in organic molecules with atomic charge calculated using a modifed Sanderson formalism 167

Carbon fibres
X-ray photoelectron spectroscopy, X-ray excited Auger electron spectroscopy and time-of-flight secondary ion mass spectroscopy characterization of carbon fibres activated by d.c. corona discharge at ambient pressure and temperature 179
Copper
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Corona discharge
X-ray photoelectron spectroscopy, X-ray excited Auger electron spectroscopy and time-of-flight secondary ion mass spectroscopy characterization of carbon fibres activated by d.c. corona discharge at ambient pressure and temperature 179
Cross-linking
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Cubic silicon clusters
Soft X-ray emission and absorption spectroscopy for electronic structure analysis of cubic silicon clusters in Si K-shell threshold 159
CuO
Escape probability of O 1s photoelectrons leaving copper oxide 257
Cutting tools
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65

Delocalized π orbitals
Electronic structure of docosahexaenoic acid studied by photoelectron spectroscopy 47
Depth distribution function
Escape probability of O 1s photoelectrons leaving copper oxide 257
Determination of oxide composition
Determination of rare-earth oxide contents in rare-earth oxide mixtures by Auger electron spectrometry 193
DHA
Electronic structure of docosahexaenoic acid studied by photoelectron spectroscopy 47
Diethynylbiphenyl
The interface between aluminium and a rod-like organometallic Pd-containing polymer film investigated by XPS 73
Docosahexaenoic acid
Electronic structure of docosahexaenoic acid studied by photoelectron spectroscopy 47
Docosahexaenoic acid ethyl ester
Electronic structure of docosahexaenoic acid studied by photoelectron spectroscopy 47

EELFAS
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
EELFS
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
Elastic scattering
Account of photoelectron elastic determination of overlayer thickness, in-depth profiling, escape depth, attenuation coefficients and intensities in surface systems 221
Elastic scattering effects
Systematic trends in the transport mean free path with electron energy and atomic number 205
Electron elastic scattering
Angular distribution of photoelectrons emitted from solids 263
Electron energy loss
The reflectivity spectra of Al_3Ni and $AlNi_3$ 1
Electron excitation
Mechanisms of vibrational and electronic excitations of polystyrene films in high resolution electron energy loss spectroscopy 81
Electronic structure
Photoemission study of β-HgS 17
Electronic structure and bonding
A study of the transition metal tetrafluorides (TiF_4, ZrF_4, HfF_4) using high temperature ultraviolet photoelectron spectroscopy 23
Engineered hard coatings wear
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
Escape probability of photoelectrons
Escape probability of O 1s photoelectrons leaving copper oxide 257

Fermi edge
Characterisation of the VG ESCALAB instrumental broadening functions by XPS measurements at the Fermi edge of silver 197

Glycine
The parametrized second-order Green function times screened interaction (pGW2) approximation for calculation of outer valence ionization potentials 39
Green function method
The parametrized second-order Green function times screened interaction (pGW2) approximation for calculation of outer valence ionization potentials 39

He(I) photoelectron spectra
Electronic structure of docosahexaenoic acid studied by photoelectron spectroscopy 47
High temperature science
A study of the transition metal tetrafluorides (TiF_4, ZrF_4, HfF_4) using high temperature ultraviolet photoelectron spectroscopy 23
HREELS
Mechanisms of vibrational and electronic excitations of polystyrene films in high resolution electron energy loss spectroscopy 81

II-IV compounds
Photoemission study of β-HgS 17
In-depth profiling
Account of photoelectron elastic determination of overlayer thickness, in-depth profiling, escape depth, attenuation coefficients and intensities in surface systems 221
Ionization potential
The parametrized second-order Green function times screened interaction (pGW2) approximation for calculation of outer valence ionization potentials 39
Iron
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107

Line broadening
Characterisation of the VG ESCALAB instrumental broadening functions by XPS measurements at the Fermi edge of silver 197
LMTO
The reflectivity spectra of Al_3Ni and $AlNi_3$ 1
Low energy electron diffraction (LEED)
The structures and chemical states of ultrathin vanadium oxides on Ni(110) surface studied by LEED and XPS 123

Mean escape depth
Escape probability of O 1s photoelectrons leaving copper oxide 257
Metal alloys
The reflectivity spectra of Al_3Ni and $AlNi_3$ 1
Modified Sanderson method
Correlation of C 1s binding energies in organic molecules with atomic charge calculated using a modifed Sanderson formalism 167
Molecular orbital calculations
A study of the transition metal tetrafluorides (TiF_4, ZrF_4, HfF_4) using high temperature ultraviolet photoelectron spectroscopy 23
Monochromated XPS
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107

NEXAFS
Carbon edge XANES spectroscopy of amino acids and peptides 9
Evidence of the molecular orientation of Pt- and Pd-containing organometallic polymers in thick layers: a NEXAFS study 53
Ni substrate
Elastic contribution to the high-energy Auger electron appearance potential spectrum 135
Nickel
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
The structures and chemical states of ultrathin vanadium oxides on Ni(110) surface studied by LEED and XPS 123

Optical constants
The reflectivity spectra of Al_3Ni and $AlNi_3$ 1
Organic molecules
Correlation of C 1s binding energies in organic molecules with atomic charge calculated using a modifed Sanderson formalism 167

Overlayer method
Escape probability of O 1s photoelectrons leaving copper oxide 257
Overlayer thickness determination
Account of photoelectron elastic determination of overlayer thickness, in-depth profiling, escape depth, attenuation coefficients and intensities in surface systems 221
Oxygen
Correlations between the Auger parameters of oxygen and metal atoms in oxygen-containing compounds 175

Palladium
Evidence of the molecular orientation of Pt- and Pd-containing organometallic polymers in thick layers: a NEXAFS study 53
The interface between aluminium and a rod-like organometallic Pd-containing polymer film investigated by XPS 73
Peptides
Carbon edge XANES spectroscopy of amino acids and peptides 9
Phase transformations
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
Photoelectron holography
Optimal atomic imaging by photoelectron holography 145
Photoelectron spectroscopy
Characterisation of the VG ESCALAB instrumental broadening functions by XPS measurements at the Fermi edge of silver 197
Photoemission spectroscopy
Photoemission study of β-HgS 17
Platinum
Evidence of the molecular orientation of Pt- and Pd-containing organometallic polymers in thick layers: a NEXAFS study 53
Platinum phthalocyanine
The electronic state of platinum phthalocyanine studied by X-ray photoelectron spectroscopy 35
Poly(acrylic acid)
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Polymer degradation
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Polymers
Evidence of the molecular orientation of Pt- and Pd-containing organometallic polymers in thick layers: a NEXAFS study 53

Polystyrene
Mechanisms of vibrational and electronic excitations of polystyrene films in high resolution electron energy loss spectroscopy 81
PVD
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65

Rare-earth oxides
Determination of rare-earth oxide contents in rare-earth oxide mixtures by Auger electron spectrometry 193
Resonance
Mechanisms of vibrational and electronic excitations of polystyrene films in high resolution electron energy loss spectroscopy 81
Resonantly enhanced ionization spectrum
Odd-parity autoionizing levels of atomic arsenic 93

Screened interaction
The parametrized second-order Green function times screened interaction (pGW2) approximation for calculation of outer valence ionization potentials 39
Self-organization
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
Silicon
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Sims
Investigation of self-organization mechanism in complex TiN-based coating during working of cutting tools, using EELFAS and AES methods 65
Singlets
Mechanisms of vibrational and electronic excitations of polystyrene films in high resolution electron energy loss spectroscopy 81
Surface structure
Evidence of the molecular orientation of Pt- and Pd-containing organometallic polymers in thick layers: a NEXAFS study 53
The structures and chemical states of ultrathin vanadium oxides on Ni(110) surface studied by LEED and XPS 123
SXEA spectroscopy
Soft X-ray emission and absorption spectroscopy for electronic structure analysis of cubic silicon clusters in Si K-shell threshold 159

Ti overlayer
Elastic contribution to the high-energy Auger electron appearance potential spectrum 135
Time-of-flight secondary ion mass spectroscopy
X-ray photoelectron spectroscopy, X-ray excited Auger electron spectroscopy and time-of-flight secondary ion mass spectroscopy characterization of carbon fibres activated by d.c. corona discharge at ambient pressure and temperature 179
Titanium
The use of XPS to examine the interaction of poly(acrylic acid) with oxidised metal substrates 107
Transition metal tetrafluorides
A study of the transition metal tetrafluorides (TiF_4, ZrF_4, HfF_4) using high temperature ultraviolet photoelectron spectroscopy 23
Triplets
Mechanisms of vibrational and electronic excitations of polystyrene films in high resolution electron energy loss spectroscopy 81

Ultraviolet photoelectron spectroscopy
A study of the transition metal tetrafluorides (TiF_4, ZrF_4, HfF_4) using high temperature ultraviolet photoelectron spectroscopy 23
UV photolysis
Odd-parity autoionizing levels of atomic arsenic 93

Vanadium oxide
The structures and chemical states of ultrathin vanadium oxides on Ni(110) surface studied by LEED and XPS 123

Working curves
Determination of rare-earth oxide contents in rare-earth oxide mixtures by Auger electron spectrometry 193

X-ray excited Auger electron spectroscopy
X-ray photoelectron spectroscopy, X-ray excited Auger electron spectroscopy and time-of-flight secondary ion mass spectroscopy characterization of carbon fibres activated by d.c. corona discharge at ambient pressure and temperature 179
X-ray microscopy
Carbon edge XANES spectroscopy of amino acids and peptides 9
X-ray photoelectron spectroscopy
The electronic state of platinum phthalocyanine studied by X-ray photoelectron spectroscopy 35
X-ray photoelectron spectroscopy, X-ray excited Auger electron spectroscopy and time-of-flight

secondary ion mass spectroscopy characterization of carbon fibres activated by d.c. corona discharge at ambient pressure 179
X-ray photoelectron spectroscopy (XPS)
The structures and chemical states of ultrathin vanadium oxides on Ni(110) surface studied by LEED and XPS 123
XANES
Carbon edge XANES spectroscopy of amino acids and peptides 9
XPS
The interface between aluminium and a rod-like organometallic Pd-containing polymer film investigated by XPS 73